	Application No.	Applicant(s)
Notice of Allowability	10/505,264	MINAMI ET AL.
	Examiner	Art Unit
	Rip A. Lee	1713
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.31	pears on the cover sheet with S (OR REMAINS) CLOSED in Solor other appropriate common RIGHTS. This application is	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <u>July 19, 2007</u> .		•
2. The allowed claim(s) is/are 1-7, 9 and 13.		
 3. Acknowledgment is made of a claim for foreign priority to a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents and the certified copies of the priority documents have the certified copies of the priority document	ve been received. ve been received in Application	on No
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file MENT of this application.	e a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which give	mitted. Note the attached EX. ves reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE OF or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftspe	_	w (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date	_•	
(b) including changes required by the attached Examine Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on t the header according to 37 CI	the drawings in the front (not the back) of FR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	C - New Co	6 15 4 4 4 15 45
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 		oformal Patent Application Summary (PTO-413),
3. ☐ Information Disclosure Statements (PTO/SB/08),		/Mail Date Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		Statement of Reasons for Allowance
of Biological Material	9. Other	·
		_

Application/Control Number: 10/505,264

Art Unit: 1713

ï

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: Claims 1-7, 9, and 13 are allowed over the closest references cited below.

The present invention is drawn to a process for producing a high-fluidity 1-butene based polymer comprising homopolymerizing 1-butene, or copolymerizing 1-butene with ethylene and/or a C_3 or C_{20} α -olefin except for 1-butene, in the presence of a polymerization catalyst comprising (A) a transition metal compound represented by general formula (II) and (B) at least one component selected from the group consisting of (B-1) a compound capable of forming an ionic complex by reacting with said transition metal compound (A), and (B-2) aluminoxane.

Another aspect of the invention is drawn to a process for producing a high-fluidity 1-butene based polymer satisfying the requirements: (1) intrinsic viscosity $[\eta]$ of 0.01 to 0.5 dL/g (tetralin, 135 °C), (2) melting point (T_m-D) of 0 to 100 °C, and (3) stereoregularity index (mmmm)/(mmrr + rmmr) of 30 or lower, comprising homopolymerizing 1-butene, or copolymerizing 1-butene with ethylene and/or a C_3 or C_{20} α -olefin except for 1-butene, in the presence of a polymerization catalyst comprising (A) a transition metal compound represented by general formula (II) and (B) at least one component selected from the group consisting of (B-1) a compound capable of forming an ionic complex by reacting with said transition metal compound (A), and (B-2) aluminoxane.

A third aspect of the invention is drawn to a process for producing a high-fluidity 1-butene based polymer satisfying the requirements: (1) intrinsic viscosity [η] of 0.01 to 0.5 dL/g (tetralin, 135 °C), (2) melting point (T_m -D) of 0 to 100 °C, and (3) mesopentad fraction *mmmm* of 68 to 73 %, comprising homopolymerizing 1-butene, or copolymerizing 1-butene with ethylene and/or a C₃ or C₂₀ α -olefin except for 1-butene, in the presence of a polymerization catalyst comprising (A) a transition metal compound represented by general formula (II) and (B) at least one component selected from the group consisting of (B-1) a compound capable of forming an ionic complex by reacting with said transition metal compound (A), and (B-2) aluminoxane.

The salient feature of transition metal complex (II) include: the carbocyclic ligand set is one in which substituents R^6 and R^7 and substituents R^8 and R^9 are bonded to each other to form a ring, cyclopentadienyl moieties of the carbocyclic ligand set are bridged in a (1,2')(2,1') fashion by bridging groups A^1 and A^2 , and bridging groups A^1 and A^2 are the same or different and are independently a C_1 - C_{20} halogen containing hydrocarbon group, or a silicon containing group, *inter alia*.

See claims for full details.

According to the present specification, the term "1-butene based" refers to polybutene homopolymer, as indicated in the process claims, or a (random) butene copolymer in which the content of structural units derived from 1-butene in the copolymer is 50 mole % or higher, and more preferably, 70 mole % or higher. Inventors further teach that where the content of structural units derived from 1-butene in the copolymer is less than 50 mole %, the resultant copolymer tends to be deteriorated; see specification, page 13.

Minami et al. (WO 99/67303; equivalent document U.S. 6,906,155) teaches a process for making propylenic polymer in the presence of a catalyst comprising a doubly bridged, bisindenyl ligand set having (1,2')(2,1') silylene/silylene connectivity. The patent teaches use of catalyst for preparing propylenic polymer which is a propylene homopolymer or a copolymer of propylene with ethylene and/or C₄₋₂₀ α-olefin. The amount of co-monomer is less than about 10 wt %. In one example, propylene polymer containing 0.9 wt % of butene comonomer is prepared in the presence of a catalyst comprising (1,2'-Me₂Si)(2,1'-Me₂Si)Ind₂ZrCl₂. This polymer has an intrinsic viscosity of 1.2 dL/g. In another example, essentially the same catalyst is used to prepare a propylene polymer containing 9 wt % of butene comonomer that exhibits an intrinsic viscosity of 2.2 dL/g. It appears that propylene polymers containing increasing amounts of 1-butene comonomer exhibit higher values of intrinsic viscosity. Clearly, the prior art of Minami et al. does not teach or make obvious the subject matter of the instant claims.

Application/Control Number: 10/505,264

Art Unit: 1713

Minami et al. (U.S. 6,414,090) teaches a process of making polymers of α -olefins having four or more carbon atoms in the presence of a catalyst containing transition metal complex having a doubly bridged, bisindenyl ligand set. The reference discloses use of (1,1')(2,2') akylene/silylene, (1,1')(2,2') alkylene/alkylene, and (1,1')(2,2') silylene/silylene bridging combinations, but there is no teaching of use of (1,2')(2,1') bridging geometry.

Minami *et al.* (WO 99/09098; equivalent document U.S. 6,562,886) discloses a propylene copolymer containing not less than 80 mole % of units derived from propylene and 0-20 mole % of units derived from ethylene and/or C_{4-20} α -olefin and having an intrinsic viscosity in the range of 0.5-5.0 dL/g. Another aspect of the invention is a polymer containing at most 0.5 mole % of ethylene and/or C_{4-20} α -olefin and having an intrinsic viscosity in the range of 0.01-1.0 dL/g. These polymers are not prepared according to the process described in the instant claims.

Yabunouchi et al. (WO 0509172; equivalent document U.S. 5,854,165) discloses a process for preparing polymer in the presence of a catalyst comprising a doubly bridged transition metal complex component containing a (1,1')(2,2') alkylene/silylene, a (1,2')(2,1') alkylene/silylene, or a (1,2')(2,1') alkylene/alkylene bridging geometry. There is no teaching of use of catalyst comprising a transition metal complex containing a (1,2')(2,1') silylene/silylene bridging groups as required by the instant claims.

Kahsiwamura et al. (WO 96/30380; equivalent document U.S. 6,339,135) discloses preparation of olefin polymer in the presence of a catalyst comprising a doubly bridged transition metal complex component containing a (1,1')(2,2') or (1,2')(2,1') alkylene/alkylene bridging groups. There is no teaching of use of catalyst comprising a transition metal complex containing a (1,2')(2,1') silylene/silylene bridging groups as required by the instant claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/505,264

Art Unit: 1713

Page 5

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Rip A. Lee whose telephone number is (571)272-1104. The

examiner can be reached on Monday through Friday from 9:00 AM - 5:00 PM. If attempts to

reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wu, can be

reached at (571)272-1114. The fax phone number for the organization where this application or

proceeding is assigned is (571)273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on the access to the

Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).

ral

July 24, 2007

DAVID W. WU SUPERVISORY PATENT EXAMINER

COMMOLOGY CENTER 1700